

# Pacific RF Towel Radiator

Smart Heating, Simple Controllability



## Key Features Include

- On-the-go controllability via Tevolve App and RF Gateway
- Simple to install, program and operate
- Large, easy to read TFT LCD display
- 4 Operating Modes: Eco, Comfort, Frost Protection, Landlord Mode
- PID Intelligent Control
- Open Window Technology
- Adaptive Start Feature
- Available in white, black or chrome



Part of the ATC Smart Range of products, the Pacific RF Towel Radiator provides smart connected heating, and has been designed to be used in conjunction with the Sun Ray RF and Merida RF heaters.

## Technical Details

Model	ATC Pacific RF Towel Radiator		
Product Code	RFTR780WH	RFTR780BL	RFTR780CR
Colour	White	Black	Chrome
Height (mm)	780	780	780

### Electrical Specifications

Voltage (Volts)	230-240 Vac 1Ø	230-240 Vac 1Ø	230-240 Vac 1Ø
Frequency (Hertz)	50	50	50
Power (Watts)	300	300	150
Running Current (Amps)	1.3A	1.3A	0.65A
Insulation Class	CL.II	CL.II	CL.II
Cable Entry	Right	Right	Right

### Mounting & Installation

Installation	Wall mounted	Wall mounted	Wall mounted
Dimensions (HxWxD) mm	780 x 500 x 120	780 x 500 x 120	780 x 500 x 120
Height including controls (mm)	860	860	860
Weight (Kg)	9	9	9
IP Rating	44	44	44

## Technical Details continued

Model	ATC Pacific RF Towel Radiator		
Product Code	RFTR920WH	RFTR920BL	RFTR920CR
Colour	White	Black	Chrome
Height (mm)	920	920	920

### Electrical Specifications

Voltage (Volts)	230-240 Vac 1Ø	230-240 Vac 1Ø	230-240 Vac 1Ø
Frequency (Hertz)	50	50	50
Power (Watts)	450	450	250
Running Current (Amps)	2.0A	2.0A	0.9A
Insulation Class	CL.II	CL.II	CL.II
Cable Entry	Right	Right	Right

### Mounting & Installation

Installation	Wall mounted	Wall mounted	Wall mounted
Dimensions (HxWxD) mm	920 x 500 x 120	920 x 500 x 120	920 x 500 x 120
Height including controls (mm)	1020	1020	1020
Weight (Kg)	11	11	11
IP Rating	44	44	44

Continued on the next page

## Technical Details continued

### Program Specification (For all models)

Program Type	up to 48 On off per day (30min Blocks)
Program Days	5 & 2, 6 & 1, 7, Off
Open window control	Yes
Adaptive Start	Yes
Boost	Yes
Manual Mode	Yes
Holiday mode	Yes
Runback / Landlord mode	Yes
°C or °F	Yes
Controls lock	Yes , with or without pin code
Works With Amazon Alexa	Yes (When connected to RF Gateway)
Works With Google assistant	Yes (When connected to RF Gateway)



Hospitality



Residential



EcoDesign  
Lot 20 Compliant

